




BESTKO[®]

D.S.P.

(DATA SHARING PLATFORM)



Purpose:

From now on, you can download most of the product information from your computer, tablet or smartphone. We trust BESTKO D.S.P. can help in environmental protection by reducing papers use. Type in www.bestko.com at your browser, two versions are available, which can be inter-switched. Whenever and wherever you are, updated information of BESTKO is available for you.

Information available to be shared as below:

- Ø Product Specification***
- Ø Glass Cut-Out***
- Ø Installation Guide***
- Ø Test Reports (read only)***
- Ø Video Share (read only)***
- Ø Project Hightlights (for desktop version only)***

Overview

Desktop version – demo 1 & 3

Mobile version – demo 2

Demonstration 1

Download product specification from desktop version

1. Choose the product you need.
2. Click the selection bar underneath.
3. Choose “product specification” and click “Download”.

You may switch to other languages to get product information in English or in bilingual (simplified Chinese version).

SMART SEARCH Area Type Product HOME EN 繁 简

BESTKO MOBILE VERSION

ABOUT BESTKO PRODUCTS PROJECTS DOWNLOAD MEDIA CERTIFICATE CONTACT US

Back

TJ021-180°
APPLAUSE Shower Hinge - Glass to Glass Fixing 180°

Features	Door is closed by hydraulic pressed system when reached to closing angle 85°
Hold-open	90°
Finish	Shiny
Material	304 Stainless Steel
Suitable Area	Tempered Glass
Door Thickness	8-12mm
Maximum Door Weight	45kg (per pair)
Maximum Door Width	≤800mm
Maximum Door Height	≤2400mm
Tested According To	EN1154 (130,000 cycles)
Remarks	With Damping Function

22 55 55 90

APPLAUSE SERIES
APPLAUSE Shower Hinge
Back to Products

TJ021-180°
APPLAUSE Shower Hinge -
Glass to Glass Fixing 180°

--- Please Select ---
Product Specification - TJ021-180°
Glass Cut-Out - TJ14
Installation Guide - APPLAUSE Shower Hinge
Usage of Slant Gaskets
EN1670 - APPLAUSE SHOWER HINGE - HT209490
EN1154 - TJ012-90° - HT207784
--- Please Select ---

Download

COPYRIGHT OWNED BY BESTKO PRECISION LIMITED WEB SOLUTION BY SMART-INFO LIMITED


Demonstration 2

Download product specification from mobile version


1. Choose the product by using smart search or keying in the model number at the search field.

2. Choose “product specification” and download.

You may switch to other languages to get product information in English or in bilingual (simplified Chinese version).



The screenshot shows the BESTKO website interface. At the top, there is a logo and navigation links for "Desktop Version", "EN", and "繁 简". Below the logo is a search bar labeled "SEARCH BY MODEL NO." with a "Search" button. Underneath is a "SMART SEARCH" section with three dropdown menus for "Area", "Type", and "Product", followed by another "Search" button. At the bottom is a "MONTHLY SPECIAL" section featuring five product listings, each with a small image and text: TJ103E.90 APPLAUSE Floor Hinge, TJ101 APPLAUSE Floor Hinge, TJ203 APPLAUSE Glass Hinge - Glass to Glass Fixing 180°, 9600-04 Deluxe Lockset - BIS Chinesisch, and TJ012B-90° APPLAUSE Shower Hinge - Wall to Glass Fixing 90°.



The screenshot shows the search results page on the BESTKO website. At the top, there is a logo and navigation links for "Desktop Version", "EN", and "繁 简". Below the logo is a "RESULT" section. It features a product image of a shower hinge, followed by the text "TJ021-180° APPLAUSE Shower Hinge - Glass to Glass Fixing 180°". Below this is a list of links: "Product Specification – TJ021-180°", "Glass Cut-Out - TJ14", "Installation Guide - APPLAUSE Shower Hinge", "Usage of Slant Gaskets", "EN1670 - APPLAUSE SHOWER HINGE - HT209490", and "EN1154 - TJ012-90° - HT207784". Below the list is another search bar labeled "SEARCH BY MODEL NO." with the text "tj021" entered and a "Search" button. At the bottom is a "SMART SEARCH" section with three dropdown menus for "Area", "Type", and "Product", followed by a "Search" button.

Demonstration 3

Read or Share relative project profiles from desktop version

- 1. Choose the project or projects by sorting bars underneath.***
- 2. Click the "PROJECT DETAIL" button and the share version of the project required is generated.***

To share all results of sorting, simply click the "GROUP DETAIL" icon after sorting.

The screenshot displays a web application interface for project highlights. At the top left, the text "PROJECT HIGHLIGHTS" is visible. On the right side, there are two buttons: "PROJECT DETAIL" and "GROUP DETAIL". Below these buttons is a grid of 12 small thumbnail images showing various building projects. On the left side, there is a large, prominent image of a tall, curved building with a glass facade, labeled "The Lily" underneath. At the bottom of the interface, there is a search and filter bar with the following elements: "EC SORT", a dropdown menu set to "P.R.C. - Hong Kong", a dropdown menu for "City", a dropdown menu for "Type", a dropdown menu for "Year", a dropdown menu for "Participants", and a "Show All" button. At the very bottom, there is a footer with the text "COPYRIGHT OWNED BY BESTKO PRECISION LIMITED" on the left and "WEB SOLUTION BY SMART-INFO LIMITED" on the right.

Remarks:

All images shared maybe protected by copyright. BESTKO keeps the right to protect relative intelligent property for all the improper use of images.

BESTKO keeps the right to modify, change or amend product information or images without further notice.